

MOHAWK OPTIONS

The Inxwell Paper

Options features Mohawk's exclusive Inxwell surface technology, combining the tactile feel of uncoated paper with the ink density and sharp detail of coated. Now including ultra-smooth Navajo, Options features six premium white shades to complement a range of styles.

- Premium white text and cover grade
- Smooth, vellum and Navajo smooth finishes
- Exclusive Inxwell print technology for superior performance
- Six versatile shades, including 100% pcw choices
- 13 Weights from 24 writing to 180 double thick cover
- Exceptionally bright 100% PC White shade
- Digital with i-Tone items in 100% PC White
- FSC certified
- Made with windpower
- Envelopes at mohawkconnects.com and your local merchant

Mohawk Options now includes Mohawk Navajo



MOHAWK OPTIONS

MANUFACTURING REQUIREMENTS

Skid packing: 5,000 lbs.
 Special size (folio): 5,000 lbs.
 Special basis weight: 10,000 lbs. (subject to trim)
 Pasting: 5,000 lbs. (standard basis weights only)
 Rolls: 5,000 lbs. (standard basis weights only)
 Cut sizes: 5,000 lbs. for standard cut size dimensions (standard basis weights only)
 Consult mill for all other items.

SPECIFICS

Mohawk Options, 100% PC shades (PC White, PC Cool White, and PC Cream White) are Green Seal certified, and are certified by Rainforest Alliance for FSC standards.

True White 96 is Green Seal certified.

8.5 x 11, 8.27 x 11.69, 12 x 18, 13 x 19, 17 x 11, 18 x 12, 19 x 13, and international cartons contain wrapped packages of: 500-sheets text and 250-sheets cover (except double-thick cover items which are bulk packed 500-sheets per carton).

INXWELL

Mohawk's exclusive Inxwell technology creates an easy-running sheet with a tight surface and exceptional opacity. Ink and toner sit on top of the paper's surface for better color, greater detail, and outstanding performance in all popular printing processes.

DIGITAL COLOR PRODUCTION PRESSES

Mohawk Options Digital with i-Tone items are precision sheeted and stocked for Digital Color Production Presses.

PHYSICAL PROPERTIES

NAVAJO SMOOTH

SHADE	LBS/GSM	CALIPER	SHEFFIELD	PPI	OPACITY	BRIGHTNESS
Brilliant White	60t/89	3.6	45	556	94	98
Brilliant White	24lb/90	3.6	45	556	94	98
Brilliant White	70t/104	4.1	45	488	95	98
Brilliant White	28lb/105	4.1	45	488	95	98
Brilliant White	80t/118	4.6	45	434	96	98
Brilliant White	32lb/120	4.6	45	434	96	98
Brilliant White	100t/148	6.0	45	334	97	98
Brilliant White	60c/162	6.3	45	318	97	98
Brilliant White	65c/176	6.9	45	290	97.5	98
Brilliant White	80c/216	8.2	45	244	98.5	98
Brilliant White	90c/243	9.1	45	220	99.5	98
Brilliant White	100dct/270	10.5	45	190	99.5	98
Brilliant White	120dct/324	13.0	45	154	99.5	98
Brilliant White	130dct/352	14.0	45	142	99.5	98
Brilliant White	160dct/432	16.5	45	122	99.5	98
Brilliant White	180dct/486	18.5	45	108	99.5	98

All grades are run to basis weight and finish.

MOHAWK OPTIONS

SMOOTH

SHADE	LBS/GSM	CALIPER	SHEFFIELD	PPI	OPACITY	BRIGHTNESS
Crystal White	70t/104	4.3	70	466	96	96
Crystal White	28lb/105	4.3	70	466	96	96
Crystal White	80t/118	5.1	70	392	97	96
Crystal White	100t/148	6.4	70	312	97	96
Crystal White	65c/176	7.8	100	256	98	96
Crystal White	80c/216	9.6	100	208	99	96
Crystal White	100dtc/270	12.1	70	166	99.5	96
100% PC White (i-Tone)	110dtc/298	13.0	100	154	99.5	—
Crystal White	130dtc/352	15.5	100	128	99.5	96

All grades are run to basis weight and finish. Caliper is approximate. (100% pcw fiber shades typically run lower in caliper than virgin shades.)

VELLUM

SHADE	LBS/GSM	CALIPER	SHEFFIELD	PPI	OPACITY	BRIGHTNESS
Crystal White	70t/104	5.1	260	392	96.5	96
Crystal White	80t/118	6.1	260	328	97	96
Crystal White	100t/148	7.2	260	318	97	96
Crystal White	65c/176	9.2	290	218	98.5	96
Crystal White	80c/216	11.5	290	174	99.5	96
Crystal White	100dtc/270	14.5	260	138	99.5	96
Crystal White	130dtc/352	18.7	290	106	99.5	96

All grades are run to basis weight and finish. Caliper is approximate. (100% pcw fiber shades typically run lower in caliper than virgin shades.)

MOHAWK OPTIONS

NAVAJO SMOOTH

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET		CODE NUMBER
BRILLIANT WHITE / 98 bright / Inxwell / FSC							
24lb/90	8.5 x 11	216 x 279	12	5000	40		E 10-730
	8.27 x 11.69	210 x 297	12.42	2500	40		E 10-769
	18 x 12	457 x 305	27.76	1000	49		E 10-771
	35 x 23	889 x 584	103	1500	14		10-816
60t/89	23 x 35	584 x 889	102	1500	14		10-732
	25 x 38	635 x 965	120	1000	18		10-733
28lb/105	8.5 x 11	216 x 279	14	4000	40		E 10-734
	8.27 x 11.69	210 x 297	14.48	2500	40		E 10-772
	17 x 11	432 x 279	28	2000	40		E 10-735
	18 x 12	457 x 305	32.38	1000	49		E 10-760
70t/104	23 x 35	584 x 889	119	1000	18		10-736
	25 x 38	635 x 965	140	1000	14		10-737
	28 x 40	711 x 1016	166	800	16		10-838
32lb/120	8.5 x 11	216 x 279	16	4000	40		E 10-766
	17 x 11	432 x 279	32	2000	40		E 10-767
	18 x 12	457 x 305	37	1000	49		E 10-768
80t/118	12 x 18	305 x 457	36.38	2000	49		E 10-754
	19 x 25	483 x 635	80	2000	12		10-819
	23 x 35	584 x 889	136	1000	16		10-738
	25 x 38	635 x 965	160	1000	12		10-739
	28 x 40	711 x 1016	189	800	16		10-740
100t/148	19 x 25	483 x 635	100	1500	12		10-820
	23 x 35	584 x 889	169	750	16		10-741
	25 x 38	635 x 965	200	750	14		10-742
	28 x 40	711 x 1016	236	600	14		10-839
60c/162	23 x 35	584 x 889	186	500	14		10-840
	26 x 40	660 x 1016	240	500	16		10-841
	28 x 40	711 x 1016	259	500	14		10-842
65c/176	8.5 x 11	216 x 279	23.38	2500	40		E 10-761
	17 x 11	432 x 279	46.76	1250	40		E 10-762
	18 x 12	457 x 305	54	750	49		E 10-784
	23 x 35	584 x 889	201	750	14		10-743
	25 x 38	635 x 965	238	500	14		10-787
	26 x 40	660 x 1016	260	500	16		10-744
	28 x 40	711 x 1016	280	400	14		10-788

MOHAWK OPTIONS

NAVAJO SMOOTH

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET		CODE NUMBER
BRILLIANT WHITE / 98 bright / Inxwell / FSC							
80c/216	8.5 x 11	216 x 279	28.76	2000	40	E	10-745
	17 x 11	432 x 279	57.52	1000	40	E	10-764
	12 x 18	305 x 457	66.46	1000	35	E	10-757
	18 x 12	457 x 305	66.46	500	49	E	10-765
	19 x 25	483 x 635	146	1000	14		10-801
	20 x 26	508 x 660	160	1000	12		10-822
	23 x 35	584 x 889	248	500	16		10-746
	25 x 38	635 x 965	292	500	14		10-802
	26 x 40	660 x 1016	320	500	12		10-747
	28 x 40	711 x 1016	345	400	14		10-748
90c/243	8.5 x 11	216 x 279	32.38	1500	40	E	10-829
	17 x 11	432 x 279	64.74	750	40	E	10-828
	18 x 12	457 x 305	74.78	500	49	E	10-827
	23 x 35	584 x 889	279	500	14		10-826
	26 x 40	660 x 1016	360	400	12		10-825
	28 x 40	711 x 1016	388	350	14		10-845
100dtc/270	19 x 25	483 x 635	183	750	12		10-806
	20 x 26	508 x 660	200	750	12		10-833
	23 x 35	584 x 889	310	500	14		10-832
	35 x 23	889 x 584	310	500	14		10-749
	25 x 38	635 x 965	366	400	12		10-807
	26 x 40	660 x 1016	400	400	12		10-750
120dtc/324	20 x 26	508 x 660	240	500	12		10-850
	23 x 35	584 x 889	372	250	20		10-851
	26 x 40	660 x 1016	480	250	12		10-852
130dtc/352	20 x 26	508 x 660	260	500	12		10-834
	23 x 35	584 x 889	403	400	12		10-835
	35 x 23	889 x 584	403	400	12		10-751
	26 x 40	660 x 1016	520	300	12		10-752
160dtc/432	23 x 35	584 x 889	495	200	12		10-856
	26 x 40	660 x 1016	640	200	12		10-857
180dtc/486	23 x 35	584 x 889	557	150	12		10-861
	26 x 40	660 x 1016	720	150	12		10-862

MOHAWK OPTIONS

NAVAJO SMOOTH ENVELOPES

WEIGHT LBS/GSM	ENVELOPE STYLE	INCHES	ENV/ BOX	ENV/ CARTON	CARTONS/ PALLET	CODE NUMBER
BRILLIANT WHITE / 98 bright / Inxwell / FSC						
24lb/90	10 commercial	4.125 x 9.5	500	2500	20	M83191
	10 square flap	4.125 x 9.5	500	2500	20	M85700
70t/104	10 commercial	4.125 x 9.5	500	2500	20	M32233
	10 window	4.125 x 9.5	500	2500	20	M123978
	A2	4.375 x 5.75	250	1000	60	M57646
	A6	4.75 x 6.5	250	1000	40	M79704
	A7	5.25 x 7.25	250	1000	40	M02968
	A8	5.5 x 8.125	250	1000	32	M99471

NAVAJO SMOOTH LABELS

WEIGHT LBS/GSM	INCHES	MM	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
BRILLIANT WHITE / 98 bright / Inxwell / FSC					
60t/89	8.5 x 11	216 x 279	1000	45	E 10-8101
	17 x 22	432 x 559	300	45	10-8102

NAVAJO SMOOTH XEIKON ROLLS

WEIGHT LBS/GSM	WIDTH INCHES	WIDTH MM	DIAMETER INCHES	LINEAL FEET	CARTONS/ PALLET	WEIGHT	CODE NUMBER
BRILLIANT WHITE / 98 bright / Inxwell / FSC							
80t/118	19.7	500	15	2250	12	90	E 10-790
80c/216	19.7	500	15	1325	12	96	10-798

MOHAWK OPTIONS

SMOOTH

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
CRYSTAL WHITE / 96 bright / Inxwell / FSC						
70t/104	23 x 35	584 x 889	119	1000	18	57-4003
	25 x 38	635 x 965	140	1000	14	57-4004
80t/118	23 x 35	584 x 889	136	1000	16	57-4006
	25 x 38	635 x 965	160	1000	12	57-4007
100t/148	28 x 40	711 x 1016	189	800	16	57-4008
	23 x 35	584 x 889	169	750	16	57-4009
100t/148	25 x 38	635 x 965	200	750	14	57-4010
	28 x 40	711 x 1016	236	600	12	57-4059
65c/176	23 x 35	584 x 889	201	750	14	57-4013
	26 x 40	660 x 1016	260	500	16	57-4014
80c/216	23 x 35	584 x 889	248	500	16	57-4017
	26 x 40	660 x 1016	320	500	12	57-4018
100dtc/270	23 x 35	584 x 889	310	500	12	57-4022
	26 x 40	660 x 1016	400	400	12	57-4023
130dtc/352	23 x 35	584 x 889	403	400	12	57-4024
	26 x 40	660 x 1016	520	300	12	57-4025

TRUE WHITE 96 / 30% pcw / 96 bright / Inxwell / FSC

28lb/105	8.5 x 11	216 x 279	14	4000	40	E 57-3230
70t/104	23 x 35	584 x 889	119	1000	18	57-3233
	25 x 38	635 x 965	140	1000	14	57-3235
80t/118	28 x 40	711 x 1016	165	800	16	57-3237
	23 x 35	584 x 889	136	1000	16	57-3241
100t/148	25 x 38	635 x 965	160	1000	12	57-3243
	28 x 40	711 x 1016	189	800	16	57-3245
100t/148	23 x 35	584 x 889	169	750	16	57-3247
	25 x 38	635 x 965	200	750	14	57-3249
65c/176	28 x 40	711 x 1016	236	600	12	57-4060
	23 x 35	584 x 889	201	750	14	57-3253
80c/216	26 x 40	660 x 1016	260	500	16	57-3255
	23 x 35	584 x 889	248	500	16	57-3261
100dtc/270	26 x 40	660 x 1016	320	500	12	57-3263
	28 x 40	711 x 1016	345	400	12	57-3297
130dtc/352	23 x 35	584 x 889	310	500	12	57-3265
	26 x 40	660 x 1016	400	400	12	57-3267
130dtc/352	23 x 35	584 x 889	403	400	12	57-3269
	26 x 40	660 x 1016	520	300	12	57-3271

MOHAWK OPTIONS

SMOOTH

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
100% PC WHITE / 100% pcw / Inxwell / FSC						
28lb/105	8.5 x 11	216 x 279	14	4000	40	E 58-4505
70t/104	23 x 35	584 x 889	119	1000	18	58-4507
	25 x 38	635 x 965	140	1000	14	58-4508
	28 x 40	711 x 1016	165	800	16	58-4509
80t/118	23 x 35	584 x 889	136	1000	16	58-4501
	25 x 38	635 x 965	160	1000	12	58-4504
	28 x 40	711 x 1016	189	800	16	58-4510
100t/148	23 x 35	584 x 889	169	750	16	58-4511
	25 x 38	635 x 965	200	750	14	58-4512
	28 x 40	711 x 1016	236	600	12	58-4546
65c/176	23 x 35	584 x 889	201	750	14	58-4513
	26 x 40	660 x 1016	260	500	16	58-4514
80c/216	8.5 x 11	216 x 279	28.76	2000	40	E 58-4515
	23 x 35	584 x 889	248	500	16	58-4503
	26 x 40	660 x 1016	320	500	12	58-4517
	28 x 40	711 x 1016	345	400	12	58-4547
100dtc/270	23 x 35	584 x 889	310	500	12	58-4518
	26 x 40	660 x 1016	400	400	12	58-4519
130dtc/352	23 x 35	584 x 889	403	400	12	58-4520
	26 x 40	660 x 1016	520	300	12	58-4521
100% PC COOL WHITE / 100% pcw / Inxwell / FSC						
70t/104	23 x 35	584 x 889	119	1000	18	58-4522
	25 x 38	635 x 965	140	1000	14	58-4523
80t/118	23 x 35	584 x 889	136	1000	16	58-4524
	25 x 38	635 x 965	160	1000	12	58-4525
65c/176	23 x 35	584 x 889	201	750	14	58-4526
	26 x 40	660 x 1016	260	500	16	58-4527
80c/216	23 x 35	584 x 889	248	500	16	58-4528
	26 x 40	660 x 1016	320	500	12	58-4529
100dtc/270	23 x 35	584 x 889	310	500	12	58-4530
	26 x 40	660 x 1016	400	400	12	58-4531
130dtc/352	23 x 35	584 x 889	403	400	12	58-4532
	26 x 40	660 x 1016	520	300	12	58-4533
100% PC CREAM WHITE / 100% pcw / Inxwell / FSC						
70t/104	23 x 35	584 x 889	119	1000	18	58-4534
	25 x 38	635 x 965	140	1000	14	58-4535
80t/118	23 x 35	584 x 889	136	1000	16	58-4536
	25 x 38	635 x 965	160	1000	12	58-4537
80c/216	23 x 35	584 x 889	248	500	16	58-4540
	26 x 40	660 x 1016	320	500	12	58-4541
100dtc/270	23 x 35	584 x 889	310	500	12	58-4542
	26 x 40	660 x 1016	400	400	12	58-4543
130dtc/352	23 x 35	584 x 889	403	400	12	58-4544
	26 x 40	660 x 1016	520	300	12	58-4545

MOHAWK OPTIONS

SMOOTH DIGITAL WITH I-TONE

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
100% PC WHITE / 100% pcw / Inxwell / FSC						
80t/118	12 x 18	305 x 457	36.38	1000	49	E 58-4548
	13 x 19	330 x 483	42.26	1000	49	E 58-4549
100t/148	12 x 18	305 x 457	45.46	1000	42	E 58-4550
	13 x 19	330 x 483	52	1000	42	E 58-4551
65c/176	18 x 12	457 x 305	54	750	49	E 58-4552
	19 x 13	483 x 330	62	750	42	E 58-4553
80c/216	18 x 12	457 x 305	66.46	500	49	E 58-4554
	19 x 13	483 x 330	76	500	49	E 58-4555
110dtc/297*	18 x 12	457 x 305	91.38	500	42	E 58-4556
	19 x 13	483 x 330	104.5	500	42	E 58-4557
130dtc/352*	18 x 12	457 x 305	108	500	35	E 58-4558
	19 x 13	483 x 330	123.5	500	35	E 58-4559

*dtc items are for HP Indigo use only, not designed for high-heat fusing digital presses.

SMOOTH DIGITAL WITH I-TONE INTERNATIONAL

WEIGHT GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
100% PC WHITE / 100% pcw / Inxwell / FSC						
120	12.6 x 18.11	320 x 460	38.43	1000	49	E 58-4560
150	12.6 x 18.11	320 x 460	48.04	1000	42	E 58-4561
220	18.11 x 12.6	460 x 320	70.21	500	49	E 58-4562
350*	18.11 x 12.6	460 x 320	114	500	35	E 58-4563

*for HP Indigo use only, not designed for high-heat fusing digital presses.

MOHAWK OPTIONS

SMOOTH DIGITAL WITH I-TONE PANORAMIC

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
100% PC WHITE / 100% pcw / Inxwell / FSC						
100t/148	18.5 x 12	470 x 305	46.74	500	49	E 58-4581
100t/148	18.11 x 12.6	460 x 320	48.04	500	49	E 58-4580

SMOOTH PANORAMIC END LEAF UNTREATED

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
100% PC WHITE / 100% pcw / Inxwell / FSC						
80t/118	18.5 x 12	470 x 305	37.39	—	500	58-4582
80t/118	18.11 x 12.6	460 x 320	38.43	—	500	58-4583

SMOOTH PANORAMIC END LEAF PRESSURE SENSITIVE

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ PACKAGE	SHEETS/ CARTON	CODE NUMBER
100% PC WHITE						
80t/118	18.5 x 12	470 x 305	37.39	—	500	58-4584
80t/118	18.11 x 12.6	460 x 320	38.43	—	500	58-4585

SMOOTH DIGITAL WITH I-TONE INTERNATIONAL PANORAMIC

WEIGHT GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
CRYSTAL WHITE / 96 bright / Inxwell / FSC						
148	18.11 x 12.6	460 x 320	48.04	500	44	E 57-4062

MOHAWK OPTIONS

SMOOTH ENVELOPES

WEIGHT LBS/GSM	ENVELOPE STYLE	INCHES	ENV/ BOX	ENV/ CARTON	CARTONS/ PALLET	CODE NUMBER
CRYSTAL WHITE / 96 bright / Inxwell / FSC						
70t/104	10 commercial	4.125 x 9.5	500	2500	20	M23262
TRUE WHITE 96 / 30% pcw / 96 bright / Inxwell / FSC						
70t/104	10 commercial	4.125 x 9.5	500	2500	20	M46530
	A7	5.25 x 7.25	250	1000	40	M46468
100% PC WHITE / 100% pcw / Inxwell / FSC						
70t/104	10 commercial	4.125 x 9.5	500	2500	20	M56361
	10 square flap	4.125 x 9.5	500	2500	20	M56378
	A2	4.375 x 5.75	250	1000	60	M56349
	A6	4.75 x 6.5	250	1000	40	M56354
	A7	5.25 x 7.25	250	1000	40	M56359
100% PC COOL WHITE / 100% pcw / Inxwell / FSC						
70t/104	10 commercial	4.125 x 9.5	500	2500	20	M92187
100% PC CREAM WHITE / 100% pcw / Inxwell / FSC						
70t/104	10 commercial	4.125 x 9.5	500	2500	20	M85495

MOHAWK OPTIONS

VELLUM

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
-------------------	--------	----	---------	-------------------	--------------------	----------------

CRYSTAL WHITE / 96 bright / Inxwell / FSC

70t/104	23 x 35	584 x 889	119	1000	18	57-4026
	25 x 38	635 x 965	140	1000	14	57-4027
80t/118	23 x 35	584 x 889	136	1000	16	57-4028
	25 x 38	635 x 965	160	1000	12	57-4029
100t/148	25 x 38	635 x 965	200	750	14	57-4031
65c/176	26 x 40	660 x 1016	260	500	16	57-4033
80c/216	23 x 35	584 x 889	248	500	16	57-4034
	26 x 40	660 x 1016	320	500	12	57-4035
100dtc/270	23 x 35	584 x 889	310	500	12	57-4036
	26 x 40	660 x 1016	400	400	12	57-4037
130dtc/352	26 x 40	660 x 1016	520	300	12	57-4039

TRUE WHITE 96 / 30% pcw / 96 bright / Inxwell / FSC

70t/104	23 x 35	584 x 889	119	1000	18	57-3234
	25 x 38	635 x 965	140	1000	14	57-3236
80t/118	23 x 35	584 x 889	136	1000	16	57-3242
	25 x 38	635 x 965	160	1000	12	57-3244
100t/148	23 x 35	584 x 889	169	750	16	57-3248
	25 x 38	635 x 965	200	750	14	57-3250
65c/176	23 x 35	584 x 889	201	750	14	57-3254
	26 x 40	660 x 1016	260	500	16	57-3256
80c/216	23 x 35	584 x 889	248	500	16	57-3262
	26 x 40	660 x 1016	320	500	12	57-3264
100dtc/270	23 x 35	584 x 889	310	500	12	57-3266
	26 x 40	660 x 1016	400	400	12	57-3268
130dtc/352	23 x 35	584 x 889	403	400	12	57-3270
	26 x 40	660 x 1016	520	300	12	57-3272

100% PC WHITE / 100% pcw / Inxwell / FSC

70t/104	23 x 35	584 x 889	119	1000	18	58-4564
	25 x 38	635 x 965	140	1000	14	58-4565
80t/118	23 x 35	584 x 889	136	1000	16	58-4566
	25 x 38	635 x 965	160	1000	12	58-4567
100t/148	23 x 35	584 x 889	169	750	16	58-4568
	25 x 38	635 x 965	200	750	14	58-4569
65c/176	26 x 40	660 x 1016	260	500	16	58-4571
80c/216	26 x 40	660 x 1016	320	500	12	58-4573
100dtc/270	23 x 35	584 x 889	310	500	12	58-4574
	26 x 40	660 x 1016	400	400	12	58-4575
130dtc/352	23 x 35	584 x 889	403	400	12	58-4576
	26 x 40	660 x 1016	520	300	12	58-4577